

Monday 31 July 2023 17:07:59
036 906 013 F MED7.5.11 5130

Group A: '002						Group B: Not Running	Group C: Not Running
Engine speed Engine load Injection time Air mass flow (G70)							
MARKER	TIME STAMP	(G28) /min	%	ms	g/s	TIME STAMP	TIME STAMP
	0	840		13.5	1.02	2.19	
	0.3	800		18	1.28	4.97	
	0.6	800		28.6	2.04	7.44	
	0.9	840		41.4	2.55	7.36	
	1.2	880		45.9	2.55	8.33	
	1.5	960		51.1	2.81	9.56	
	1.8	1080		53.4	3.06	12.03	
	2.09	1200		66.2	3.31	14.97	
	2.39	1280		68.4	3.57	15.11	
	2.7	1400		67.7	3.31	16.47	
	3	1480		67.7	3.31	17.64	
	3.3	1640		66.2	3.31	18.75	
	3.6	1800		64.7	3.31	19.22	
	3.9	2000		66.9	3.57	22.33	
	4.2	2040		65.4	3.06	23.69	
	4.5	2200		66.9	3.57	27.42	
	4.8	2360		68.4	3.31	27.69	
	5.1	2560		66.9	3.31	28	
	5.4	2640		66.2	3.57	28.97	
	5.7	2840		66.2	3.83	33.31	
	6	3000		67.7	3.83	35.56	
	6.3	3160		69.9	3.57	39.61	
	6.6	3240		70.7	3.31	40	
	6.9	3520		72.2	3.57	44.39	
	7.2	3680		74.4	3.57	45.81	
	7.5	3880		74.4	3.83	50.06	

7.8	4040	75.9	3.57	50.53
8.11	4240	75.2	3.83	54.97
8.41	4400	72.9	3.31	56.03
8.73	4640	73.7	3.31	60.64
9.06	4800	72.2	3.57	58.25
9.39	5000	72.2	3.57	58.72
9.73	5200	69.9	3.31	63.33
10.08	5400	71.4	3.57	65.56
10.43	5560	71.4	3.57	66
10.79	5760	71.4	3.57	69.42
11.16	5920	71.4	3.31	72.75
11.54	6120	69.9	3.57	77.14
11.91	6200	63.9	3.57	63.22
12.29	6240	29.3	1.53	29.19
12.66	6240	24.8	1.28	25.72
13.04	6240	21.1	1.02	22.11
13.41	6200	21.8	1.02	24
13.79	6080	20.3	0	19.47
14.15	5400	17.3	0	14.03
14.5	4720	17.3	0	12.56
14.81	3840	21.1	1.02	16.44
15.12	4040	57.1	2.55	37.83
15.41	3760	19.5	0	9.47
15.71	3280	15.8	0	7.58
16.01	2840	16.5	0	7.06
16.31	2880	15.8	0	6.58
16.61	2880	18.8	0	5.67
16.91	2840	15	0	6.03
17.21	2800	15	0	5.81
17.51	2760	15.8	0	6.28
17.81	2680	15.8	0	5.81
18.11	2640	16.5	0	5.53
18.41	2560	16.5	0	5.25

18.71	2480	16.5	0	5.44
19.01	2400	16.5	0	5.61
19.31	2320	16.5	0	5.53
19.61	2240	16.5	0	5.08
19.91	2200	16.5	0	4.61
20.21	2120	17.3	0	5.33
20.51	2120	17.3	0	5.28
20.81	2080	17.3	0	4.53
21.1	2040	17.3	0	5.03
21.41	2000	17.3	0	4.69
21.71	1960	17.3	0	4.78
22.01	1880	17.3	0	4.53
22.31	1840	17.3	0	4.5
22.61	1520	17.3	0	3.97
22.91	1200	17.3	1.02	1.94
23.21	1080	15	1.02	2.94
23.51	960	15	1.02	2.36
23.81	880	15	1.02	2.25
24.11	840	15	1.02	2.31
24.41	760	15.8	1.02	2
24.71	760	15.8	1.02	2.11
25.01	840	15	1.02	2
25.31	1080	12.8	0.77	2
25.61	1520	10.5	0.77	2.58
25.91	2000	15	1.02	4.56
26.21	2560	11.3	0.77	4.69
26.51	2400	12	0.77	4.97
26.81	2400	11.3	0.77	5.31
27.1	2480	17.3	1.02	10.61
27.4	2400	23.3	1.28	10.86
27.7	2400	29.3	1.53	12.06
28	2440	30.1	1.53	13.17
28.3	2440	30.1	1.53	12.83

28.6	2440	33.1	1.53	16.44
28.91	2560	52.6	2.55	30.33
29.21	2680	69.2	3.06	32.17
29.51	2760	68.4	3.57	33.47
29.81	3000	69.2	3.57	38.81
30.11	3160	69.9	3.83	38.56
30.41	3240	69.9	3.31	39.58
30.71	3480	71.4	3.57	43.19
31.01	3640	73.7	3.57	43.97
31.31	3760	74.4	3.57	48.22
31.61	4000	77.4	3.57	54.94
31.91	4160	74.4	3.57	52.97
32.23	4360	74.4	3.57	56.31
32.54	4520	73.7	3.57	60.33
32.86	4720	72.9	3.57	59.39
33.19	4920	72.2	3.57	61.47
33.52	5160	71.4	3.57	65.86
33.86	5360	71.4	3.57	62.5
34.22	5520	72.9	3.57	70.17
34.58	5720	72.2	3.57	70.17
34.95	5920	71.4	3.57	71.08
35.32	6120	69.9	3.31	73.86
35.7	6240	63.2	3.06	65.67
36.07	5960	20.3	0	19.69
36.43	5160	18	0	14.22
36.77	4320	17.3	0	12.94
37.07	4000	15.8	0	8.94
37.37	3920	16.5	0	8.94
37.68	3960	17.3	0	10.5
37.97	3760	17.3	0	9.78
38.27	3280	16.5	0	8.33
38.57	2760	17.3	0	6.94
38.87	2600	15.8	0	5.69

39.17	2600	15.8	0	6.5
39.47	2560	15	0	5.39
39.77	2520	15.8	0	5.69
40.07	2480	16.5	0	5.31
40.37	2440	16.5	0	4.92
40.67	2400	16.5	0	5.61
40.97	2320	16.5	0	4.72
41.27	2280	16.5	0	5.14